Anti-USH1C/Harmonin antibody

Catalog Number: 103679

NovoPro

Product name

Anti-USH1C/Harmonin antibody

Immunogen

Human USH1C/Harmonin (His Tag) recombinant protein

Specificity

Human USH1C / Harmonin

Antibody description

Rabbit polyclonal to USH1C/Harmonin

Preparation

Produced in rabbits immunized with purified, recombinant Human USH1C / Harmonin (rh USH1C / Harmonin; Q9Y6N9-1; Met 1-Phe 552). USH1C / Harmonin specific IgG was purified by Human USH1C / Harmonin affinity chromatography.

Formulation

 $0.2\ \mu m$ filtered solution in PBS with 5% trehalose

Storage

This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C.

Preservative-Free.

Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

Clonality

Polyclonal

Ig Type

Rabbit IgG

Applications

ELISA, WB, IHC-P, IP

Dilutions

WB: 2-10 µg/mL


ELISA: 0.1-0.2 µg/mL

This antibody can be used at 0.1-0.2 μ g/mL with the appropriate secondary reagents to detect Human USH1C. The detection limit for Human USH1C is approximately 0.00975 ng/well.


IHC-P: 0.1-2 µg/mL

IP: 2-4 $\mu g/mg$ of lysate

Validations



USH1C / Harmonin Antibody, Rabbit PAb, Antigen Affinity Purified



USH1C / Harmonin Antibody, Rabbit PAb, Antigen Affinity Purified, Immunohistochemistry


Immunochemical staining of human USH1C in human colon-carcinoma with rabbit polyclonal antibody (1 μ g/mL, formalin-fixed paraffin

Anti-USH1C/Harmonin antibody




Catalog Number: 103679

embedded sections). Positive staining was localized to epithelium. The left panel: tissue incubated with primary antibody; The right panel: tissue incubated with the mixture of primary antibody and antigen (recombinant protein).



USH1C / Harmonin Antibody, Rabbit PAb, Antigen Affinity Purified, Immunohistochemistry

Immunochemical staining of human USH1C in human kidney with rabbit polyclonal antibody (1 μ g/mL, formalin-fixed paraffin embedded



USH1C / Harmonin Antibody, Rabbit PAb, Antigen Affinity Purified, Western blot