

Anti-ECSIT antibody



Catalog Number: 104910

Product name

Anti-ECSIT antibody

Immunogen

[Human ECSIT \(His Tag\) recombinant protein](#)

Specificity

Human ECSIT

Antibody description

Rabbit polyclonal to ECSIT

Preparation

Produced in rabbits immunized with purified, recombinant Human ECSIT (rh ECSIT; Q9BQ95-1; Glu246-Ser431). ECSIT specific IgG was purified by Human ECSIT affinity chromatography.

Formulation

0.2 µm filtered solution in PBS

Storage

This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C.

Preservative-Free.

Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

Clonality

Polyclonal

Ig Type

Rabbit IgG

Applications

ELISA, WB, IHC-P

Dilutions


WB: 10-20 µg/ml

ELISA: 0.1-0.2 µg/mL

This antibody can be used at 0.1-0.2 µg/mL with the appropriate secondary reagents to detect Human ECSIT. The detection limit for Human ECSIT is < 0.039 ng/well.


IHC-P: 0.1-1 µg/mL

Validations



Items	Lanes
Sample (whole cell lysate)	A
Sample Volume (µg/lane)	NIH3T3
Cell	30
Recommended concentration	13% SDS-PAGE reducing gel
Secondary Antibody	10-20 µg/ml
Developed	Dylight 800-labeled Antibody To Rabbit IgG (H+L), at 1:5000 dilution.
Explanation	using Odyssey imaging system. Predicted band size : 49 kDa Observed band size : 49 kDa

ECSIT Antibody, Rabbit PAb, Antigen Affinity Purified, Western blot



ECSIT Antibody, Rabbit PAb, Antigen Affinity Purified, Immunohistochemistry

Immunochemical staining of human ECSIT in human brain with rabbit polyclonal antibody (0.2 µg/mL, formalin-fixed paraffin embedded

Anti-ECSIT antibody



Catalog Number: 104910

sections).