# LC3B-Specific antibody

Catalog Number: 112166



### **Product name**

LC3B-Specific antibody

# **Specificity**

Human, Mouse, Rat; other species not tested.

## **Antibody description**

LC3B-Specific Rabbit Polyclonal antibody. Positive FC detected in HeLa cells. Positive IHC detected in human heart tissue, human testis tissue. Positive IF detected in Chloroquine treated HepG2 cells, Starvation treated HEK-293 cells. Positive WB detected in Chloroquine treated HEK-293 cells, HeLa cells, HepG2 cells, human brain tissue, MCF7 cells, mouse brain tissue, rat brain tissue, TN treated Hela cells, UV treated HEK-293 cells. Observed molecular weight by Western-blot: 15kDa, 18 kDa

# **Preparation**

This antibody was obtained by immunization of Peptide (Accession Number: NM\_022818). Purification method: Antigen affinity purified.

#### **Formulation**

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

## **Storage**

Store at -20°C. DO NOT ALIQUOT

#### Clonality

Polyclonal

## Ig Type

Rabbit IgG

## **Applications**

ELISA, IF, IHC, FC, WB

#### **Dilutions**


Recommended Dilution:

WB: 1:500-1:5000


IHC: 1:20-1:200


IF: 1:20-1:200

### **Validations**



Chloroquine treated HEK-293 cells were subjected to SDS PAGE followed by western blot with Catalog No:112166(MAP1LC3B-Specific Antibody) at dilution of 1:1000





Chloroquine treated HepG2


HepG2 un-Treated

Immunofluorescent analysis of Chloroquine treated/untreated HepG2 cells using Catalog No:112166 (LC3B-Specific Antibody) at dilution of 1:50 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L). Cells were fixed with ethanol at -20 oc.


# LC3B-Specific antibody

Catalog Number: 112166







Immunohistochemical of paraffin-embedded human heart using Catalog No:112166 (LC3B-Specific antibody) at dilution of 1:100 (under 10x lens).



Immunohistochemical of paraffin-embedded human heart using Catalog No:112166 (LC3B-Specific antibody) at dilution of 1:100 (under 40x lens).



Immunofluorescent analysis of starvation treated HEK-293 cells using Catalog No:112166 (LC3B-Specific Antibody) at dilution of 1:50 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L). Cells were fixed with ethanol at -20 °C. 20 mM chloroquine was used to block the autophagy flux.



1X10^6 HeLa cells were stained with 0.2ug LC3B-Specific antibody (Catalog No:112166, red) and control antibody (blue). Fixed with 90% MeOH blocked with 3% BSA (30 min). Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L) with dilution 1:1000.