

## General Information

### Gene Name Synonym

Cytosolic inhibitor of Nrf2; INrf2; Kelch-like protein 19

### Protein Construction

A DNA sequence encoding the human KEAP1 (Q14145) (Gln2-Cys624) was expressed and purified with two additional amino acids (Gly & Pro ) at the N-terminus.

### Organism

Human

### Expression Host

Baculovirus-Insect Cells

## QC Testing

### Purity

> 90 % as determined by SDS-PAGE

### Endotoxin

< 1.0 EU per  $\mu\text{g}$  of the protein as determined by the LAL method

### Stability

Samples are stable for up to twelve months from date of receipt at  $-70^{\circ}\text{C}$

### Predicted N terminal

Gly

### Molecular Mass

The secreted recombinant human KEAP1 consists of 625 amino acids and predicts a molecular mass of 69.7 KDa. The apparent molecular mass of the protein is approximately 64 KDa in SDS-PAGE under reducing conditions due to glycosylation.

### Formulation

Lyophilized from sterile 20mM Tris, 500mM NaCl, 3mM DTT, 10% glycerol, pH 7.4.

1. 5 % trehalose and mannitol are added as protectants before lyophilization.
2. Please contact us for any concerns or special requirements.

## Usage Guide


### Storage

Store it under sterile conditions at  $-20^{\circ}\text{C}$  to  $-80^{\circ}\text{C}$ . It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

### Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

### SDS-PAGE



Human KEAP1 / INRF2 Protein SDS-PAGE