CERTIFICATE OF ANALYSIS

Product Name	BRP/BRINP2-related peptide, Cat.#: 319763 (TFA removed)
Lot No.	MTFB21174-01-260917
Sequence	THRILRRLFNLC-NH2 (Acetate Salt)
Dissolution condition	100%H2O
Modification	Acetate salt
Molecular Weight (MW)	1540.87
Storage	-20°C

Test Items	**Specifications**	**Results**
MW by MS	1540.90	Conforms
Purity by HPLC	>95%	95.832%
Peptide content	N/A	N/A
N content	N/A	N/A
TFA content	N/A	N/A
Endotoxin content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	200.0mg	5.0mg*40

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:

Quality Assurance Department

Oct/13/2026

NovoPro Biosciences Inc. VERIFIED Quality Control

Sample Information

Order ID	:MTFB21174-01
Name	:BRP/BRINP2-related peptide, Cat.#: 319763 (TFA removed)
Sequence	:THRILRRLFNLC-NH2(Acetate Salt)
Lot. No	:MTFB21174-01-260917
Pump A	:0.1%Trifluoroacetic in 100% water
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile
Total Flow	:1ml/min
Wavelength	:214nm
Analytial column type	:Kromasil 100-5-C18 (4.6*250mm*5 μm)
Dissolution method	:100%H2O
Inj. Volume	: 25ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	20
30.00	Pumps	B.Conc	50
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	

Chromatogram



Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	12.015	15143	758	0.302
2	14.530	40208	593	0.802
3	14.960	4802250	578497	95.832
4	15.430	90103	2495	1.798
5	17.409	7632	555	0.152
6	18.410	40888	5273	0.816
7	21.059	14890	752	0.297
Total		5011114	588922	100.000

MS Spectrum



Sample Information

Dissolution method	:15%ACN+85%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2026/10/08 16:59:46	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250℃	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50%H2O/50%MEOH

Order ID	:MTFB21174-01
Name	:BRP/BRINP2-related peptide, Cat.#: 319763 (TFA removed)
Sequence	:THRILRRLFNLC-NH2(Acetate Salt)
Lot.No	:MTFB21174-01-260917
Theoretical	:1540.87
Observed	:1540.90