
CERTIFICATE OF ANALYSIS

Product Name	Calcitonin (salmon I) peptide, Cat.#: 300598
Lot No.	MTFB20569-260224
Sequence	C*SNLSTC*VLGKLSQELHKLQTYPRNTGSGTP-NH2
Dissolution condition	100%H2O
Modification	Disulfide bridge
Molecular Weight (MW)	3431.84
Storage	-20°C

Test Items	Specifications	Results
MW by MS	3432.40	Conforms
Purity by HPLC	>95%	95.955%
Endotoxin Content	N/A	N/A
TFA solubility	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	20mg	5.0mg*4

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by: 
Quality Assurance Department

Mar/12/2026




Sample Information

Order ID :MTFB20569
 Name :Calcitonin (salmon I)
 Sequence :C*SNLSTC*VLGKLSQELHKLQTYPRNTGSGTP-NH2
 Lot. No :MTFB20569-260224
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Kromasil 100-5-C18 (4.6*250mm*5 μm)
 Dissolution method :100%H2O
 Inj. Volume : 15ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	30
30.00	Pumps	B.Conc	60
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	30
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	9.078	89431	8295	0.548
2	11.496	11339	2680	0.069
3	11.632	15672933	1280691	95.955
4	12.046	525079	25195	3.215
5	15.622	34918	5265	0.214
Total		16333699	1322126	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2026/03/11 16:05:10	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:MTFB20569
Name	:Calcitonin (salmon I)
Sequence	:C*SNLSTC*VLGKLSQELHKLQTYPRNTNTGSGTP-NH ₂
Lot.No	:MTFB20569-260224
Theoretical	:3431.84
Observed	:3432.40