For Enjoyable Discovery

CERTIFICATE OF ANALYSIS

Product Name	Cancrin peptide, Cat.#: 302530 (TFA removed)
Lot No.	MTFB21210-261008
Sequence	GSAQPYKQLHKVVNWDPYG (Acetate Salt)
Dissolution condition	100%H2O
Modification	Acetate salt
Molecular Weight (MW)	2187.43
Storage	-20°C

Test Items	Specifications	Results
MW by MS	2187.00	Conforms
Purity by HPLC	>95%	95.368%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	10.0mg	5.0mg*2

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:

Quality Assurance Department

Nov/09/2026


NovoPro Biosciences Inc. VERIFIED Quality Control

Sample Information

Order ID	:MTFB21210
Name	:Cancrin peptide, Cat.#: 302530 (TFA removed)
Sequence	:GSAQPYKQLHKVVNWDPYG (Acetate Salt)
Lot. No	:MTFB21210-261008
Pump A	:0.1%Trifluoroacetic in 100% water
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile
Total Flow	:1ml/min
Wavelength	:214nm
Analytial column type	:Kromasil 100-5-C18 (4.6*250mm*5 μm)
Dissolution method	:100%H2O
Inj. Volume	: 25ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	15
30.00	Pumps	B.Conc	45
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	15
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	19.063	257738	12345	3.122
2	19.195	7872672	1077722	95.368
3	19.413	124596	17592	1.509
Total		8255007	1107659	100.000

MS Spectrum



Sample Information

Dissolution method	:15%ACN+85%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2026/11/06 15:53:24	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250℃	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50%H2O/50%MEOH

Order ID	:MTFB21210
Name	:Cancrin peptide, Cat.#: 302530 (TFA removed)
Sequence	:GSAQPYKQLHKVVNWDPYG(Acetate Salt)
Lot.No	:MTFB21210-261008
Theoretical	:2187.43
Observed	:2187.00