
CERTIFICATE OF ANALYSIS

Product Name	Decapeptide-12, Cat.#: 319594
Lot No.	MTFB20664-260323
Sequence	YRSRKYSSWY
Dissolution condition	100%H ₂ O
Modification	N/A
Molecular Weight (MW)	1395.51
Storage	-20°C

Test Items	Specifications	Results
MW by MS	1395.60	Conforms
Purity by HPLC	>95%	96.090%
Endotoxin Content	N/A	N/A
TFA solubility	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	60mg	5.0mg*12

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by: 
Quality Assurance Department

Mar/25/2026




Sample Information

Order ID :MTFB20664
 Name :Decapeptide-12
 Sequence :YRSRKYSSWY
 Lot. No :MTFB20664-260323
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Kromasil 100-5-C18 (4.6*250mm*5 μm)
 Dissolution method :100%H2O
 Inj. Volume : 10ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	15
30.00	Pumps	B.Conc	45
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	15
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	13.532	13598	1758	0.128
2	13.983	24757	3393	0.233
3	14.566	59478	8275	0.560
4	15.496	66859	9564	0.630
5	15.638	10196907	1047739	96.090
6	15.896	250235	21330	2.358
Total		10611834	1092060	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2026/03/24 16:00:51	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:MTFB20664
Name	:Decapeptide-12
Sequence	:YRSRKYSWY
Lot.No	:MTFB20664-260323
Theoretical	:1395.51
Observed	:1395.60