
CERTIFICATE OF ANALYSIS

Product Name	HAV peptide, Cat.#: 319717
Lot No.	MTFA33532-251031
Sequence	HAV
Dissolution condition	100%H2O
Modification	N/A
Molecular Weight (MW)	325.37
Storage	-20°C

Test Items	Specifications	Results
MW by MS	325.15	Conforms
Purity by HPLC	>95%	98.879%
Endotoxin Content	N/A	N/A
TFA solubility	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	10 mg	5.0mg*2

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Nov/13/2025

Quality Assurance Department




Sample Information

Order ID	:MTFA33532
Name	:HAV peptide
Sequence	:HAV
Lot. No	:MTFA33532-251031
Pump A	:0.1%Trifluoroacetic in 100% water
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile
Total Flow	:1ml/min
Wavelength	:214nm
Analytical column type	:Kromasil 100-5-C18 (4.6*250mm*5 µm)
Dissolution method	:100%H ₂ O
Inj. Volume	: 8ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	0.1
30.00	Pumps	B.Conc	30
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	0.1
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	12.986	7787392	662948	98.879
2	21.960	34163	1673	0.434
3	26.997	54104	4224	0.687
Total		7875659	668844	100.000

MS Spectrum



Sample Information

Dissolution method	:15%ACN+85%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2025/11/04 13:28:42	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50%H2O/50%MEOH
Order ID	:MTFA33532				
Name	:HAV peptide				
Sequence	:HAV				
Lot.No	:MTFA33532-251031				
Theoretical	:325.37				
Observed	:325.15				