
CERTIFICATE OF ANALYSIS

Product Name	Rigin peptide, Cat.#: 302875 (TFA removed)
Lot No.	MTFA33567-02-251111
Sequence	GQPR (Acetate Salt)
Dissolution condition	100%H2O
Modification	acetate salt
Molecular Weight (MW)	456.50
Storage	-20°C

Test Items	Specifications	Results
MW by MS	456.35	Conforms
Purity by HPLC	>95%	98.648%
Endotoxin Content	N/A	N/A
TFA solubility	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	10 mg	5.0mg*2

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Nov/18/2025


Quality Assurance Department



Sample Information

Order ID	:MTFA33567-02		
Name	:Rigin peptide		
Sequence	:GQPR (Acetate Salt)		
Lot. No	:MTFA33567-02-251111		
Pump A	:0.1%Trifluoroacetic in 100% water		
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile		
Total Flow	:1ml/min		
Wavelength	:214nm		
Analytical column type	:Kromasil 100-5-C18 (4.6*250mm*5 µm)		
Dissolution method	:100%H ₂ O		
Inj. Volume	: 5ul		
Time	Module	Action	Value
0.01	Pumps	B.Conc	0.1
30.00	Pumps	B.Conc	30
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	0.1
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	13.310	11557143	760957	98.648
2	13.679	61048	15598	0.521
3	14.334	97403	3976	0.831
Total		11715594	780531	100.000

MS Spectrum



Sample Information

Dissolution method :15% ACN+85% H₂O
 Date Acquired :2025/11/17 09:52:03
 Injection Volume :0.2ul
 Block Temp :200

Interface :ESI
 Nebulizing Gas Flow :1.50L/min
 CDL Temp :250°C
 CDL Volt :0v

Prerod Bias :+4.5kv
 Detector :-0.2kv
 T.Flow :0.2ml/min
 B.conc :50% H₂O/50% ME OH

Order ID :MTFA33567-02
 Name :Rigin peptide
 Sequence :GQPR(Acetate Salt)
 Lot.No :MTFA33567-02-251111
 Theoretical :456.50
 Observed :456.35