

CERTIFICATE OF ANALYSIS

Product Name	Tur1A (Cat.#: 318733)
Lot No.	MTFA30681-3-1109
Sequence	RRIRFRPPYLPRPGRRPRFPPPFPIPRIPRIP
Dissolution condition	100%H2O
Length	32AA
Modification	N/A
Molecular Weight (MW)	3972.78
Storage	-20°C

Test Items	Specifications	Results
MW by MS	3973.25	Conforms
Purity by HPLC	>95%	95.062%
Peptide Content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	40mg	5.0mg*8

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Dec/05/2023




Sample Information

Order ID :MTFA30681-3
 Name :Tur1A
 Sequence :RRIRFRPPYLPRPGRRRPRFPPPFPIPRIPRIP
 Lot. No :MTFA30681-3-1109
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Phenomenex Luna® 5 µm C18(2) (4.6*250mm*5 µm)
 Dissolution method :100%H2O
 Inj. Volume : 25ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	25
20.00	Pumps	B.Conc	45
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	25
50.00	Controller	Stop	


Chromatogram



Peak Table

Detector A 214nm				
Peak#	Ret. Time	Area	Height	Area%
1	9.314	2541	407	0.061
2	10.072	1399	297	0.033
3	10.809	20963	1756	0.500
4	11.187	3982546	513461	95.062
5	11.583	156266	3730	3.730
6	11.995	1378	273	0.033
7	13.502	16575	2688	0.396
8	13.730	7732	1279	0.185
Total		4189401	523891	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2023/11/14 14:12:35	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:MTFA30681-3
Name	:Tur1A
Sequence	:RRIRFRPPYLPRPGRRRPRFPPFPPIPRIPRI
Lot.No	:MTFA30681-3-1109
Theoretical	:3972.78
Observed	:3973.25