


## CERTIFICATE OF ANALYSIS

<b>Vector Name</b>	L4440	<b>Catalog No.</b>	V012784
<b>Project/Lot No.</b>	G0289597-1/E70812	<b>Strain</b>	stbl3
<b>Quantity</b>	100ug	<b>Resistance</b>	Ampicillin

### QC Results

Test Items	Specifications	Results
<b>Appearance</b>	Clear, no visible particles	Pass
<b>Concentration</b>	On request, default 1ug/uL	Pass
<b>A260/280</b>	1.8 - 2.0	Pass
<b>A260/230</b>	>2.0	Pass
<b>Supercoiled content</b>	No request	N/A
<b>Residual RNA</b>	Not visible upon electrophoresis	Pass
<b>Genomic DNA</b>	Not visible upon electrophoresis	Pass
<b>Restriction Analysis</b>	Conforms to reference	Pass
<b>Bioburden assay</b>	No growth on agar plate after 24 hours	N/A
<b>Endotoxin Test</b>	Verified, (Endo-Free Preps Only)	N/A
<b>Label</b>	Correct and white	Pass
<b>Sequencing</b>	Correct	Pass
<b>Comments</b>	-	-

### Restriction Digestion Map



Certified by: Chou Fang



Date: Sep/21/2023

Valid until: Sep/21/2025