


Certificate of Analysis			
Vector Name	pCC2FOS	Catalog No.	V008673
Lot No.	PD69788	Strain	EPI300
Quantity	100 ug	Resistance	Chloramphenicol
QC Results			
Test Items	Specifications	Results	
Appearance	Clear, no visible particles	Pass	
Concentration	On request, default	Pass	
A260/280	1.8 - 2.0	Pass	
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electrophoresis	Pass	
Genomic DNA	Not visible upon electrophoresis	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours	N/A	
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A	
Label	Correct and white	Pass	
Sequencing	Correct	Pass	
Comments	-	-	
Restriction Digestion Map			
Marker	1	2	M
 KB Ladder DL3000	<p>Lane 1: Plasmid DNA</p> <p>Lane 2: Plasmid digested by NcoI (6,270 bp+ 1,911 bp in theory)</p> <p>Lane M: DNA Marker</p>		

Certified by: Chou Fang
Date: Jun/23/2025
Valid until: Jun/23/2028

