

CERTIFICATE OF ANALYSIS			
Gene Name	pCOLADuet-1 vector (Cat.#V011035)	Order No.	G0225751-2
Lot No.	D19713	Strain	JM108
Quantity	100ug	Quality grade	Research Grade
QC Results			
Test Items	Specifications		Results
Appearance	Clear, no visible particles		Pass
Concentration	On request, default 1ug/uL		Pass
A260/280	1.8 - 2.0		Pass
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electroph	Pass	
Genomic DNA	Not visible upon electroph	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours		N/A
Endotoxin Test	Verified, (Endo-Free Preps Only)		N/A
Label	Correct and white		Pass
Sequencing	Correct		Pass
Comments	-		
Restriction Digestion Map			
1 2 M			
<u>bp</u>	Lane1:Plasmid DNA Lane2:Plasmid digested by MluI-XhoI		
12000 8000 6000 5000 4000			
— 3000 — 2500 — 2000	Lane I	M : DNA Marker	
— 1500 — 1000 — 750			
— 500 — 250			

Certified by: Chou Fang

Date: Mar/25/2022