


Certificate of Analysis			
Gene Name	pDONR207 vector	Catalog No.	V011826
Project/Lot No.	G0258667-1/E50716	Size	5,585 bp
Quantity	200ug	Resistance	Chloramphenicol
QC Results			
Test Items	Specifications	Results	
Appearance	Clear, no visible particles	Pass	
Concentration	On request, default 1ug/uL	Pass	
A260/280	1.8 - 2.0	Pass	
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electrophoresis	Pass	
Genomic DNA	Not visible upon electrophoresis	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours	N/A	
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A	
Label	Correct and white	Pass	
Sequencing	Correct	Pass	
Comments	-	-	
Restriction Digestion Map			
	1	2	M
	<p><b>Lane1:</b>Plasmid DNA</p> <p><b>Lane2:</b>Plasmid digested by Apal-EcoRI</p> <p><b>Lane M:</b> DNA Marker</p>		

Certified by: Chou Fang

Date: Dec/28/2024

Valid until: Dec/28/2027

