

Certificate of Analysis			
Vector Name	pLV-CMV-LoxP-DsRed-LoxP-eGFP	Catalog No.	V017420
Project/Lot No.	G0373242-2/E33870	Strain	DH10B
Quantity	100ug	Resistance	Ampicillin
QC Results			
Test Items	Specifications	Results	
Appearance	Clear, no visible particles	Pass	
Concentration	On request, default	Pass	
A260/280	1.8 - 2.0	Pass	
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electrophoresis	Pass	
Genomic DNA	Not visible upon electrophoresis	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours	N/A	
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A	
Label	Correct and white	Pass	
Sequencing	Correct	Pass	
Comments	-	-	
Restriction Digestion Map			
	1	2	M
	Lane 1: Plasmid DNA Lane 2: Plasmid digested by BamHI+NotI (31/827/1944/3622 bp in theory) Lane M: DNA Marker		

Certified by: Chou Fang
Date: Jul/29/2025
Valid until: Jul/29/2028

