



Certificate of Analysis				
Vector Name	pUT-mini-Tn5-Km	Catalog No.	V014195	
Project/Lot No.	G0334860-1/D90194	Strain	DH5α-λ	
Quantity	100ug	Resistance	Ampicillin, Kanamycin	
QC Results				
Test Items	Specifications	Results		
Appearance	Clear, no visible particles	Pass		
Concentration	The error range is within 5%	Pass		
A260/280	1.8 - 2.0	Pass		
A260/230	>2.0	Pass		
Supercoiled content	No request	N/A		
Residual RNA	Not visible upon electrophoresis	Pass		
Genomic DNA	Not visible upon electrophoresis	Pass		
Restriction Analysis	Conforms to reference	Pass		
Bioburden assay	No growth on agar plate after 24 hours	N/A		
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A		
Label	Correct and white	Pass		
Sequencing	Correct	Pass		
Comments	-	-		
Restriction Digestion Map				
Marker	1	2	M	Description of Map
				Lane1: Plasmid DNA Lane2: Plasmid digested by NotI-ScaI (4,602 bp + 3,266 bp in theory) Lane M: DNA Marker

Certified by: Chou Fang



Date: Sep/24/2024

Valid until: Sep/24/2027