


CERTIFICATE OF ANALYSIS			
Vector Name	pdCas9-bacteria-ApmR	Catalog No.	V017644
Project/Lot No.	G0407066-1/KLI52507	Strain	Top10
Quantity	10ug	Resistance	Apramycin
QC Results			
Test Items	Specifications	Results	
Appearance	Clear, no visible particles	Pass	
Concentration	On request, default	Pass	
A260/280	1.8 - 2.0	Pass	
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electrophoresis	Pass	
Genomic DNA	Not visible upon electrophoresis	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours	N/A	
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A	
Label	Correct and white	Pass	
Sequencing	Correct	Pass	
Comments	-	-	
Restriction Digestion Map			
	<b>1</b>	<b>2</b>	<b>M</b>
 <p><b>bp</b></p> <p>12000 8000 6000 5000 4000 3000 2500 2000 1500 1000 750 500 250</p>	<p><b>Lane 1:</b> Plasmid DNA</p> <p><b>Lane 2:</b> Plasmid digested by XbaI (1717/5101 bp in theory)</p> <p><b>Lane M:</b> DNA Marker</p>		

**Certified by: Chou Fang**  
**Date: Mar/13/2026**  
**Valid until: Mar/13/2029**

