

Anti-HDAC4 antibody



Catalog Number: 142961

Product name

Anti-HDAC4 antibody

ICC/IF: 0.5-1.5 µg/mL

IP: 0.5-2 uL/mg of lysate

Specificity

Human HDAC4

Validations

Antibody description

Rabbit Polyclonal to Human HDAC4

Preparation

Produced in rabbits immunized with a synthetic peptide corresponding to the N-terminus of the Human HDAC4, and purified by antigen affinity chromatography.

Formulation

0.2 µm filtered solution in PBS

Storage

This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free.

Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

Clonality

Polyclonal

Ig Type


Rabbit IgG

Applications

WB, ICC/IF, IF, IP


Dilutions

WB: 5-10 µg/ml




Lanes	A	B	C	D
Items				
Sample (whole cell lysate)	HepG2	Jurkat	Hela	NIH-3T3
Sample Volume (µg/lane)	30	30	30	30
Gel	7.5% SDS-PAGE reducing gel			
Recommended Concentration	5-10 µg/ml			
Secondary Antibody	Dylight 800-labeled Antibody to Rabbit IgG (H+L), at 1:5000 dilution.			
Developed using Odyssey imaging system.				
Explanation	Predicted band size : 119 kDa			

HDAC4 Antibody, Rabbit PAb, Antigen Affinity Purified, Western blot



HDAC4 Antibody, Rabbit PAb, Antigen Affinity Purified, Immunofluorescence



Lanes	A	B
Items		
Sample (whole cell lysate)	HepG2	Jurkat
Sample quantity	0.5 mg	
IP antibody quantity	2 µg	
Immunomagnetic beads Protein G	60 µg	
Gel	15% SDS-PAGE reducing gel	
Primary antibody	KLE1-SMCC-SINOVA798 antibody at 10 µg/ml	
Secondary antibody	Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution	

HDAC4 Antibody, Rabbit PAb, Antigen Affinity Purified, Immunoprecipitation