## MCM5 Polyclonal Antibody

Catalog Number: 161664



#### **Product name**

MCM5 Polyclonal Antibody

## Specificity

Human, Mouse, Rat

## **Antibody description**

Polyclonal antibody to MCM5

#### Preparation

Antigen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-230 of human MCM5 (NP\_006730.2).

## Formulation

PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

## Clonality

Polyclonal

#### Ig Type

Rabbit IgG


## Applications

WB, IHC, IF

#### Dilutions


WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:200

## Validations



Western blot - MCM5 Polyclonal Antibody

Western blot analysis of extracts of various cell lines, using MCM5 antibody at 1:1000 dilution.Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution.Lysates/proteins: 25ug per lane.Blocking buffer: 3% nonfat dry milk in TBST.Detection: ECL Basic Kit .Exposure time: 1s.




Immunohistochemistry - MCM5 Polyclonal Antibody

Immunohistochemistry of paraffin-embedded human lung cancer using MCM5 antibody at dilution of 1:100 (40x lens).

## **MCM5 Polyclonal Antibody**




Catalog Number: 161664



Immunohistochemistry - MCM5 Polyclonal Antibody


Immunohistochemistry of paraffin-embedded human appendix using MCM5 antibody at dilution



of 1:100 (40x lens)

Immunofluorescence - MCM5 Polyclonal Antibody


Immunofluorescence analysis of C6 cells using MCM5 antibody at dilution of 1:100. Blue: DAPI



for nuclear staining.

Immunofluorescence - MCM5 Polyclonal Antibody


Immunofluorescence analysis of NIH-3T3 cells using MCM5 antibody at dilution of 1:100. Blue:



DAPI for nuclear staining.

Immunofluorescence - MCM5 Polyclonal Antibody


Immunofluorescence analysis of U-2 OS cells using MCM5 antibody at dilution of 1:100. Blue:



DAPI for nuclear staining.

Immunofluorescence - MCM5 Polyclonal Antibody

Immunofluorescence analysis of C6 cells using MCM5 antibody at dilution of 1:100. Blue: DAPI




for nuclear staining.

Immunofluorescence - MCM5 Polyclonal Antibody


Immunofluorescence analysis of NIH-3T3 cells using MCM5 antibody at dilution of 1:100. Blue:

# **MCM5 Polyclonal Antibody**









DAPI for nuclear staining.

Immunofluorescence - MCM5 Polyclonal Antibody

Immunofluorescence analysis of U-2 OS cells using MCM5 antibody at dilution of 1:100. Blue: DAPI for nuclear staining.