Catalog Number: 501678



General Information

Gene Name Synonym

Apolipoprotein A1; Proapolipoprotein A-I; Truncated apolipoprotein A-I

Protein Construction

A DNA sequence encoding the mouse APOA1 (Q00623) (Met 1-Gln 264) was fused with the Fc region of human IgG1 at the C-terminus.

Organism

Mouse

Expression Host

Human Cells

QC Testing

Activity

1. Measured by its binding ability in a functional ELISA.

2. Immobilized mouse ApoAI at 10 μ g/mL (100 μ l/well) can bind biotinylated human SCARB1, The EC₅₀ of biotinylated human SCARB1 is 0.27 μ g/mL.

Purity

> 90 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70 $^\circ \rm C$

Predicted N terminal

Trp 19 **Molecular Mass**

The secreted recombinant mouse APOA1/Fc is a disulfide-linked homodimer. The reduced monomer comprises 487 amino acids and has a calculated molecular mass of 55.8 kDa. As a result of glycosylation, the apparent molecular mass of rmAPOA1/Fc monomer is approximately 60 kDa in SDS-PAGE under reducing conditions.

Formulation

Lyophilized from sterile PBS, pH 7.41. 5 % trehalose and mannitol are added as protectants before lyophilization.2. Please contact us for any concerns or special requirements.

Usage Guide

Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE

| KDa | м |
|------|---|
| 116 | - |
| 66.2 | |
| | _ |
| 45.0 | - |
| 35.0 | |
| | - |
| 25.0 | _ |
| | |
| 18.4 | - |
| 14.4 | - |

Mouse APOA1 Protein (Fc Tag) SDS-PAGE