

Human TIMP-2/TIMP2 recombinant protein



Catalog Number: 501752

General Information

Gene Name Synonym

CSC-21K; Tissue inhibitor of metalloproteinases 2

Protein Construction

A DNA sequence encoding the mature form of human TIMP2 (NP_003246.1) (Cys 27-Pro 220) was expressed and purified.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

Measured by its ability to inhibit human MMP-2 cleavage of a fluorogenic peptide substrate MCA-PLGL-DPA-AR-NH₂(R&D Systems, Catalog # ES001). The IC₅₀ value is < 4 nM.

Purity

> 96 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per µg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Met

Molecular Mass

The recombinant human TIMP2 consists of 195 amino acids and has a predicted molecular mass of 22 kDa. It migrates as an approximately 20 kDa band in SDS-PAGE under reducing conditions.

Formulation

Lyophilized from sterile PBS, pH 7.4

1. 5 % trehalose and mannitol are added as protectants before lyophilization.

2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Human TIMP2 / TIMP-2 Protein SDS-PAGE