Catalog Number: 502982



General Information

Gene Name Synonym

Fc receptor, IgE, low affinity II, alpha polypeptide, isoform CRA_a; Protein Fcer2

Protein Construction

A DNA sequence encoding the rat FCER2 (Q6AZ45) (Glu50-Pro331) was expressed with Fc region of human IgG1 at the N-terminus.

Organism

Rat

Expression Host

Human Cells

QC Testing

Purity

> 90 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70 $^{\circ}\mathrm{C}$

Predicted N terminal

Glu

Molecular Mass

The recombinant rat FCER2 comprises 542 amino acids and predicts a molecular mass of 60.2 kDa. The apparent molecular mass of the recombinant protein is approximately 61 kDa in SDS-PAGE under reducing conditions due to glycosylation. **Formulation**

Lyophilized from sterile PBS, PH 7.4.1. 5 % trehalose and mannitol are added as protectants before lyophilization.2. Please contact us for any concerns or special requirements.

Usage Guide

Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE

| KDa | M |
|------|---|
| 116 | |
| 66.2 | |
| 45.0 | - |
| 35.0 | |
| 25.0 | - |
| 18.4 | |
| 14.4 | |

Rat CD23 / FCER2 / FCER2A Protein (Fc Tag) SDS-PAGE