Human NCR3?CD337? (His & Fc Tag) recombinant protein

Catalog Number: 503206



General Information

Gene Name Synonym

Activating natural killer receptor p30; Natural killer cell p30-related protein

Protein Construction

A DNA sequence encoding the extracellular domain (Met 1-Gly 135) of human NCR3 (NP_667341.1) precursor was fused with the C-terminal polyhistidine-tagged Fc region of human IgG1 at the C-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Purity

> 97 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Leu 19

Molecular Mass

The recombinant human NCR3/Fc is a disulfide-

linked homodimer after removal of the signal peptide. The reduced monomer consists of 365 amino acids and has a predicted molecular mass of 41 kDa. In SDS-PAGE under reducing conditions, the apparent molecular mass of rh NCR3/Fc monomer is approximately 50-55 kDa due to glycosylation.

Formulation

Lyophilized from sterile PBS, pH 7.4

- 1. 5 % trehalose and mannitol are added as protectants before lyophilization.
- 2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Human NCR3 / NKp300 Protein (His & Fc Tag) SDS-PAGE