Human TrkA/NTRK1 (aa 194-413, His Tag) recombinant protein

Catalog Number: 503580



General Information

Gene Name Synonym

Neurotrophic tyrosine kinase receptor type 1; TRK1-transforming tyrosine kinase protein; Tropomyosin-related kinase A; Tyrosine kinase receptor; Tyrosine kinase receptor A; gp140trk; p140-TrkA

Protein Construction

A DNA sequence encoding the amino acid sequence (Pro 194-Glu 413) of human NTRK1 (NP_002520.2), corresponding to the Ig-like C2-type 1 & 2 domains, was expressed and purified, with a N-terminal polyhistidine tag.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

Measured by its ability to inhibit NGF-induced proliferation of TF1 human erythroleukemic cells. The ED $_{50}$ for this effect is typically 0.5-4 μ g/ml in the presence of 10 ng/mL of human NGF.

Purity

> 95 % as determined by SDS-PAGE

Endotoxin

 $< 1.0 \; \text{EU}$ per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

His

Molecular Mass

The recombinant human NTRK1 Ig-like C2-type 1 & 2 domains (aa 194-413) consists of 239 amino acids and has a predicted molecular mass of 26 kDa. As a result of glycosylation, it migrates as an approximately 45-50 kDa band in SDS-PAGE under reducing conditions.

Formulation

Lyophilized from sterile PBS, pH 7.4

- 1.5% trehalose and mannitol are added as protectants before lyophilization.
- 2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Human TrkA/NTRK1 (aa 194-413, His Tag) recombinant protein



Catalog Number: 503580

Human TrkA / NTRK1 Protein (aa 194-413, His

Tag) SDS-PAGE