# Human CD40L/CD154/TNFSF5 (His Tag) recombinant protein

Catalog Number: 504291

# **General Information**

#### Gene Name Synonym

T-cell antigen Gp39; TNF-related activation protein; Tumor necrosis factor ligand superfamily member 5; CD40 ligand, membrane form; CD40 ligand, soluble form

## **Protein Construction**

A DNA sequence encoding the soluble form of human CD40L (NP\_000065.1) (Glu 108-Leu 261) was expressed with an initial Met at the Nterminus and a polyhistide tag at the C-terminus.

## Organism

Human

## **Expression Host**

E. coli

# **QC Testing**

## Activity

Measured by its binding ability in a functional ELISA.

1. Immobilized human CD40 at 2  $\mu g/ml$  (100  $\mu l/well)$  can bind biotinylated human CD40L with a linear range of 15.6-500 ng/ml.

2. Immobilized human CD40 / Fc at 2  $\mu g/ml$  (100  $\mu l/well$ ) can bind biotinylated human CD40L with a linear range of 7.8-125 ng/ml.

## Purity

> 95 % as determined by SDS-PAGE

## Endotoxin

Please contact us for more information.

## Stability

Samples are stable for up to twelve months from date of receipt at -70  $^{\circ}\mathrm{C}$ 

# **Predicted N terminal**

Met

#### **Molecular Mass**

The recombinant human CD40L consists of 161 amino acids and has a calculated molecular mass of 17.7 kDa. It migrates as an 18 kDa band in SDS-PAGE under reducing conditions.

#### Formulation

Lyophilized from sterile PBS, pH 7.4, 10% glycerol1. 5 % trehalose and mannitol are added as protectants before lyophilization.2. Please contact us for any concerns or special requirements.

# **Usage Guide**

#### Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

#### Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

## **SDS-PAGE**

KDa	м
116	
66.2	-
45.0	-
35.0	_
25.0	-
18.4	
14.4	-

Human CD40L / CD154 / TNFSF5 Protein (His Tag) SDS-PAGE

