Human EphB6/Eph Receptor B6 (Fc Tag) recombinant protein

Catalog Number: 504529

General Information

Protein Construction

The extracellular domain (Met 1-Ser 579) of human EphB6 (NP_004436.1) precursor was fused with the Fc region of human IgG1 at the C-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

1. Measured by its binding ability in a functional ELISA.

2. Immobilized recombinant human EphrinB1 at 10 μ g/ml (100 μ l/well) can bind human EphB6 with a linear range of 0.16-4 μ g/ml.

3. Immobilized recombinant human EphrinB2 at

10 μ g/ml (100 μ l/well) can bind human EphB6 with a linear range of 1.28-32 ng/ml.

Purity

> 90 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Leu 17

Molecular Mass

The recombinant mature human EphB6/Fc chimera is a disulfide linked homodimeric protein. Each monomer consists of 801 amino acids and has a calculated molecular mass of 86.5 kDa. In SDS-PAGE under reducing conditions, rhEphB6/Fc monomer migrates with an apparent molecular mass of approximately 100-110 kDa due to glycosylation.

Formulation

Lyophilized from sterile PBS, pH 7.41. 5 % trehalose and mannitol are added as protectants before lyophilization.2. Please contact us for any concerns or special requirements.

Usage Guide

Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE

KDa	M	
116		_
66.2	-	
45.0	-	
35.0	-	
25.0	-	
18.4	-	
14.4		

Human EphB6 / EphB6 Protein (Fc Tag) SDS-PAGE

