Human PGA4/Pepsinogen A (Fc Tag) recombinant protein

Catalog Number: 504633



General Information

Protein Construction

A DNA sequence encoding the human PGA4 (P00790) (Met 1-Ala 388) was fused with the Fc region of human IgG1 at the C-terminus.

Organism

Human

Expression Host

Human Cells

QC Testing

Activity

Measured by its ability to cleave the fluorogenic peptide substrate, Mca-RPKPVE-Nval-WRK(Dnp)-NH2, AnaSpec, Catalog # 27114. The specific activity is > 3000 pmoles/min/ μ g.

Purity

> 80 % as determined by SDS-PAGE

Endotoxin

< 1.0 EU per μg of the protein as determined by the LAL method

Stability

Samples are stable for up to twelve months from date of receipt at -70°C

Predicted N terminal

Ile 16

Molecular Mass

The secreted recombinant human PGA4/Fc is a

disulfide-linked homodimeric protein. The reduced monomer consists of 614 amino acids and has a predicted molecular mass of 67.3 kDa. The apparent molecular mass of rhPGA/Fc monomer is approximately 65-70 kDa in SDS-PAGE under reducing conditions.

Formulation

Lyophilized from sterile PBS, pH 7.4

- 1. 5 % trehalose and mannitol are added as protectants before lyophilization.
- 2. Please contact us for any concerns or special requirements.

Usage Guide


Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

Adding sterile water, prepare a stock solution of 0.25 mg/ml. Concentration is measured by UV-Vis.

SDS-PAGE



Human PGA4 / Pepsinogen A Protein (Fc Tag) SDS-PAGE