Catalog Number: 509916



# **General Information**

### Gene Name Synonym

OGA; EC 3.2.1.169; Beta-Nacetylglucosaminidase; EC 3.2.1.-; Beta-Nacetylhexosaminidase; Beta-hexosaminidase; Meningioma-expressed antigen 5; N-acetyl-beta-Dglucosaminidase; N-acetyl-beta-glucosaminidase; Nuclear cytoplasmic O-GlcNAcase and acetyltransferase; NCOAT

## **Protein Construction**

A DNA sequence encoding the human MGEA5 (NP\_001135906.1) 1-350 aa was fused with the polyhistidine tag

#### Organism

Human

### **Expression Host**

E. coli

# **QC Testing**

### Activity

Not tested.

### Endotoxin

Please contact the lab for more information.

### Stability

Store for up to 12 months at -20°C to -80°C as lyophilized powder.

### Formulation

Protein lyophilized in sterile PBS (58 mM

Na2HPO4, 17 mM NaH2PO4, 68 mM NaCl, 300 mM Imidazole, pH 8.0). Trehalose (5-8%) and mannitol (5-8%) protectants were added before lyophilization.

## **Usage Guide**


### Storage

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

### Reconstitution

Reconstitute at  $0.25 \ \mu g/\mu l$  in sterile water for short-term storage. Reconstitution with 50% glycerol solution is recommended for longer term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.

### **SDS-PAGE**



#### Recombinant human MGEA5 SDS-PAGE