# pFLAG-CMV-2

| | |
|---|---|
| **Vector ID** | V011139 |
| **Antibiotic Resistance** | Ampicillin |
| **Length** | 4679 bp |
| **Vector Type** | Mammalian Expression Vectors |

## Product Information

| | |
|---|---|
| **Replication Origin** | ori |
| **Source/Author** | Sigma-Aldrich |
| **Copy Number** | High copy number |
| **Promoter** | CMV |
| **5' Primer** | M13 fwd |
| **3' Primer** | M13 rev |
| **Growth Temperature** | 37℃ |
| **Comment** | pFLAG-CMV-2 is a 4.7 kb mammalian expression vector. It uses a CMV promoter for high-level expression of N-terminal FLAG-tagged fusion proteins in mammalian cells and contains an ampicillin resistance gene for bacterial selection. |

## Vector Map



## Plasmid Resuspension Protocol

1. Centrifuge at 5,000×g for 5 min.
2. Carefully open the tube and add sterile water to dissolve the DNA: add 20 µl for 5 µg plasmid, and 100 µl for 100 µg plasmid.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than 5000×g.
5. Store the plasmid at -20 ℃.