# pLV2-CMV-V5-TurboID-Puro

| | |
|---|---|
| **Vector ID** | V014660 |
| **Antibiotic Resistance** | Ampicillin |
| **Length** | 9046 bp |
| **Vector Type** | Protein expression |
| **Host** | Mammalian cells, Lentivirus |

## Product Information

| | |
|---|---|
| **Replication Origin** | ori |
| **Selection Marker** | Puro |
| **Copy Number** | High Copy |
| **Promoter** | mPGK |
| **Cloning Method** | Restriction Enzyme |
| **5' Primer** | T7 promoter primer |
| **3' Primer** | GATTGCCATGCCGGTCAAGG |
| **Growth Strain(s)** | stbl3 |
| **Growth Temperature** | 37℃ |
| **Comment** | The plasmid vector pLV2-CMV-V5-TurboID-Puro is a lentiviral vector designed for high-level expression of proteins fused to the V5 epitope tag and TurboID biotin ligase in mammalian cells, allowing for simultaneous protein detection, proximity-dependent biotin labeling, and puromycin selection. |

## Vector Map



## Plasmid Resuspension Protocol

1. Centrifuge at 5,000×g for 5 min.
2. Carefully open the tube and add sterile water to dissolve the DNA: add 20 µl for 5 µg plasmid, and 100 µl for 100 µg plasmid.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than 5000×g.
5. Store the plasmid at -20 ℃.