
pEnCMV-STING1(human)-3xFLAG

Vector ID	V022709
Accession ID	NM_198282.4
Antibiotic Resistance	Ampicillin
Length	7139 bp
Vector Type	Protein expression
Host	Mammalian cells

Product Information

Replication Origin	ori
Selection Marker	Neo/G418
Promoter	CMV
Fusion Tag	3xFLAG
Growth Strain(s)	DH10B
Expression Method	Transient
Comment	pEnCMV-STING1(human)-3xFLAG drives expression of human STING1 (stimulator of interferon genes 1), also known as TMEM173, a crucial endoplasmic reticulum-resident adaptor protein that senses cytosolic DNA and cyclic dinucleotides to activate the innate immune response and interferon production, with a C-terminal 3xFLAG tag for convenient immunodetection and purification.

Vector Map



Plasmid Resuspension Protocol

1. Centrifuge at 5,000×g for 5 min.
2. Carefully open the tube and add sterile water to dissolve the DNA: add 20 µl for 5 µg plasmid, and 100 µl for 100 µg plasmid.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than 5000×g.
5. Store the plasmid at -20 ℃.