Recombinant ARPC4 protein (His tag)

Catalog Number	537872
Synonyms	Arp2/3 complex 20 kDa subunit; p20-ARC
Species	Human
Expression System	E. coli
Accession	P59998
Molecular Weight	Predictes a molecular mass of 21.19 kDa. In SDS-PAGE under reducing conditions, it migrates as an approximately 22 kDa band.

Product Information

Sequence Region	2-168
Form	Lyophilized powder
Formulation	Lyophilized from sterile PBS, pH 7.4
Purity	>89%, by SDS-PAGE with Coomassie Brilliant Blue staining.
Endotoxin	Not tested.
Activity	Not tested.
Stability	Samples are stable for up to twelve months from date of receipt at -70℃
Protein Construction	DNA encoding 2-168 aa (P59998) were fused with 6His tag.

Storage & Handling

Reconstitution	Reconstitute at 0.25 μg/μl in sterile water for short-term storage. Reconstitution with 50% glycerol solution is recommended for longer term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.
Storage	Store it under sterile conditions at -20℃ to -80℃. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Shipping	In general, recombinant proteins are provided as lyophilized powder which are shipped at ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice unless customers require otherwise.

Description

Description	This product is a recombinant fragment of the Actin-related protein 2/3 complex subunit 4 (Arp2/3 complex 20 kDa subunit, p20-ARC), derived from Homo sapiens. It encompasses amino acids 2-168, representing a stable and soluble unit ideal for structural studies, biochemical assays, and investigating actin polymerization mechanisms. The full-length Actin-related protein 2/3 complex subunit 4, encoded by the ARPC4 gene, is an essential actin-binding component of the Arp2/3 complex. This multiprotein complex mediates actin polymerization upon stimulation by nucleation-promoting factors, facilitating the formation of branched actin networks in the cytoplasm that drive cell motility. Beyond its cytoplasmic role, the Arp2/3 complex also promotes nuclear actin polymerization, which regulates gene transcription and supports DNA repair processes, such as homologous recombination in response to DNA damage by enhancing the motility of double-strand breaks. The protein localizes to the cytoplasm, cytoskeleton, cell projections, and the nucleus, underscoring its diverse functional significance in cellular dynamics and genomic stability.