# Human PKIG Recombinant protein (GST tag & His tag)

Catalog Number: 511283



#### **General Information**

# Gene Name Synonym

CAMP-dependent, catalytic inhibitor gamma; Protein kinase; CAMP-dependent, catalytic inhibitor gamma, isoform CRA\_a; Protein kinase inhibitor gamma; cDNA, FLJ92327, Homo sapiens protein kinase; cAMP-dependent, catalytic inhibitor gamma; PKIG, mRNA

#### **Protein Construction**

A DNA sequence encoding the human PKIG (NP\_001268374.1) 1-76 aa was fused with the N-terminal GST tag and C-terminal 6His tag

# **Organism**

Human

# **Expression Host**

E. coli

# **QC Testing**

## Activity

Not tested.

#### **Endotoxin**

Please contact the lab for more information.

# **Stability**

Store for up to 12 months at -20°C to -80°C as lyophilized powder.

#### **Formulation**

Protein lyophilized in sterile PBS (58 mM

Na2HPO4, 17 mM NaH2PO4, 68 mM NaCl, 100 mM GSH, pH 8.0). Trehalose (5-8%) and mannitol (5-8%) protectants were added before lyophilization.

# **Usage Guide**


## **Storage**

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

#### Reconstitution

Reconstitute at  $0.25~\mu\text{g/}\mu\text{l}$  in sterile water for short-term storage. Reconstitution with 50% glycerol solution is recommended for longer term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.

#### **SDS-PAGE**



Recombinant human PKIG(Full length) SDS-PAGE