

# Human CD40LG/CD40L/TNFSF5/TRAP recombinant protein



Catalog Number: 518886

## General Information

### Gene Name Synonym

CD40 Ligand, CD40-L, T-Cell Antigen Gp39, TNF-Related Activation Protein, TRAP, Tumor Necrosis Factor Ligand Superfamily Member 5, CD154, CD40LG, CD40L, TNFSF5, TRAP

### Protein Construction

A DNA sequence encoding the Human CD40LG/CD40L/TNFSF5/TRAP Met113-Leu261 is expressed.

### Organism

Human

### Expression Host

E. coli

## QC Testing

### Purity

>95% as determined by SDS-PAGE.

### Endotoxin

<1.0 EU per  $\mu\text{g}$  protein as determined by the LAL method.

### Stability

Store for up to 12 months at  $-20^{\circ}\text{C}$  to  $-80^{\circ}\text{C}$  as lyophilized powder. Aliquots of reconstituted samples are stable at  $< -20^{\circ}\text{C}$  for 3 months.

## Formulation

Lyophilized from a  $0.2\ \mu\text{m}$  filtered solution of 20mM PB, 200mM NaCl, 0.1mM EDTA, pH 7.0.

## Usage Guide


### Storage

Lyophilized protein should be stored at  $< -20^{\circ}\text{C}$ , though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at  $4-7^{\circ}\text{C}$  for 2-7 days.

### Reconstitution

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than  $100\ \mu\text{g}/\text{ml}$ . Dissolve the lyophilized protein in ddH<sub>2</sub>O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

## SDS-PAGE



Human CD40LG/CD40L/TNFSF5/TRAP recombinant protein